

**To:** Albizu, Ramon[Albizu.Ramon@epa.gov]  
**From:** MUSANTE, JASON  
**Sent:** Wed 10/19/2016 1:49:19 AM  
**Subject:** RE: Action Required: START 4 FY16 Contractor (Weston Solutions, Inc.) Performance Assessment  
[FY16 Performance Evaluation Assessment - Mecca Grape Stakes JM.pdf](#)  
[FY16 Performance Evaluation Assessment - Mira Loma B17 JM.pdf](#)  
[FY16 Performance Evaluation Assessment - Fruitland Magnesium Fire Incident JM.pdf](#)

Please find completed performance evaluations attached.

Thank you,

Jason Musante  
Federal On-Scene Coordinator  
U.S. EPA Region IX - Los Angeles  
213.479.2120  
[musante.jason@epa.gov](mailto:musante.jason@epa.gov)

[Report oil or chemical spills](#)  
National Response Center: 800.424.8802  
Region IX Duty Officer: 800.300.2193



**From:** Albizu, Ramon  
**Sent:** Monday, October 03, 2016 10:28 AM  
**To:** MUSANTE, JASON <Musante.Jason@epa.gov>  
**Cc:** Ingram, Philip <ingram.philip@epa.gov>  
**Subject:** Action Required: START 4 FY16 Contractor (Weston Solutions, Inc.) Performance Assessment

Hi Jason,

Is once again time to assess our **START 4 contract EP-S5-13-02** serviced by Weston Solutions, Inc. A few things to consider while completing your performance evaluations.

- The **FY16 evaluation period is from 9/19/2015 – 9/17/2016**. This means that you should only provide feedback for those activities that occurred within the defined evaluation period.
- Complete one evaluation form for each of the following TDDs:
  1. **1302-T2-R9-15-06-0001 (*Mecca Grape Stakes*)**
  2. **1302-T2-R9-16-03-0003 (*Mira Loma B17 Radium Dial Assessment*)**
  3. **1302-T2-R9-16-06-0001 (*Fruitland Magnesium Fire Incident*)**
- All ratings shall include a narrative in the comments section that substantiates the same (particularly any rating of 4 (very good) or above).
- Utilization of Small Business (5) and Regulatory Compliance (6) performance criteria may not apply to your TDDs. Please refer to the *CPARS Criteria for Contractor Performance Assessment* to determine applicability.
- Emergency Response (7) performance criteria may not apply to your TDD.
- Submit your evaluations saved as a PDF with your e-signature.

Please complete the attached form and return to me no later than **Tuesday, October 18, 2016**. Feel free to contact me if you have any questions or concerns.

Thanks,

**Ramon D. Albizu**, START 4 PO (Contract-Level COR) / RTFL

Emergency Response Preparedness and Prevention Branch  
Superfund Division | U.S. Environmental Protection Agency, Region IX (SFD-9-4)  
75 Hawthorne Street | San Francisco, CA 94105  
[albizu.ramon@epa.gov](mailto:albizu.ramon@epa.gov) | (415) 972-3091

Mobile (415) 515-9569